MAY 0 6 2004 8 4

Page 1 of 3

_	Y.C	OF/				Page 1 of 3						
Form I	PYCLI	Modifi	ed)		Atty [Atty Docket No.: Serial No.:						
						03692.P054D2 10/647,925						
List of	Paten	ts and Publi	ications St	atement		Applicants:						
					. ''							
(Use s	everal	sheets if no	ecessary)			Disney, D.						
	,				_	Date:	·					
					Augus	st 26,2003						
REFE	RENC	E DESIGNA	ATION	U.S. F	PATENT D	OCUMENTS						
Exam.		Date Document Number		:	Name			Class	Sub-	Filing Dat		
miliai			Number						Class			
	,				Country	Name	Cla	155	Sub- Class	Trans- lation		
No.		Document	No. I	Date	to Country Name Cl				Cub	Trans		
Loke		JP 6-22442		12/94	Japan	Uno				English		
Loke		DE 43 09 7		29/94	Germany							
Loke	· ·	JP 56-3880	67 04	/14/81	Japan	Okabe, T., et al.						
Loke Loke		JP 56-3880 JP 57-109	67 04. 75 01.	/14/81 /20/82	Japan Japan	Okabe, T., et al. Sanyo				English		
Loke Loke Loke		JP 56-3880 JP 57-109 JP 57-125	67 04. 75 01. 57 01.	/14/81 /20/82 /22/82	Japan Japan Japan	Okabe, T., et al. Sanyo Tanaka, et al.				English English		
Loke Loke Loke Loke		JP 56-3886 JP 57-109 JP 57-1255 JP 57-1255	67 04. 75 01. 57 01. 58 01.	/14/81 /20/82 /22/82 /22/82	Japan Japan Japan Japan	Okabe, T., et al. Sanyo Tanaka, et al. Tanaka, et al.				English English English		
Loke Loke Loke		JP 56-3880 JP 57-109 JP 57-125	67 04. 75 01. 57 01. 58 01.	/14/81 /20/82 /22/82	Japan Japan Japan	Okabe, T., et al. Sanyo Tanaka, et al.				English English		
Loke Loke Loke Loke		JP 56-3886 JP 57-109 JP 57-1255 JP 57-1255 JP 60-644	67 04. 75 01. 57 01. 58 01. 71 04.	/14/81 /20/82 /22/82 /22/82 /13/85	Japan Japan Japan Japan Japan	Okabe, T., et al. Sanyo Tanaka, et al. Tanaka, et al.	t Pag	es, etc	:.)	English English		
Loke Loke Loke Loke Loke		JP 56-3886 JP 57-109 JP 57-1259 JP 57-1259 JP 60-644 OTHER "Internation	67 04. 75 01. 57 01. 58 01. 71 04. ART (Incl	714/81 720/82 722/82 722/82 713/85 Ton Devi	Japan Japan Japan Japan Japan uthor, Tit	Okabe, T., et al. Sanyo Tanaka, et al. Tanaka, et al. Saitou, M. Ie, Date, Pertinent	on, D	.C, De		English English English		
Loke Loke Loke Loke	2	JP 56-3886 JP 57-109 JP 57-1255 JP 57-1255 JP 60-644 OTHER	67 04. 75 01. 57 01. 58 01. 71 04. ART (Inclinated by Elect	114/81 20/82 22/82 22/82 13/85 uding A ron Deviton Devi	Japan Japan Japan Japan Japan uthor, Tit	Okabe, T., et al. Sanyo Tanaka, et al. Tanaka, et al. Saitou, M. Ie, Date, Pertinent and 1979- Washingt ety of IEEE, Pages	on, D).C, De 241.	c. 3-4-	English English English		
Loke Loke Loke Loke Loke		JP 56-3886 JP 57-109 JP 57-1255 JP 57-1255 JP 60-644 OTHER "Internati Sponsor	67 04. 75 01. 57 01. 58 01. 71 04. ART (Inclinated by Election of High	114/81 (20/82 (22/82 (13/85 uding A ron Devi	Japan Japan Japan Japan Japan uthor, Tit ces Meetiices Socie own of Vo	Okabe, T., et al. Sanyo Tanaka, et al. Tanaka, et al. Saitou, M. Ie, Date, Pertinent and 1979- Washingt ety of IEEE, Pages oltage (>700V) in Terms	on, D 238-	0.C, De 241. Ol Dev	c. 3-4-	English English English 5,"		
Loke Loke Loke Loke Loke Loke	ė.	JP 56-3886 JP 57-109 JP 57-125 JP 57-125 JP 60-644 OTHER "Internati Sponsor "Realizat Merchan	67 04. 75 01. 57 01. 58 01. 71 04. ART (Inclinated by Election of Hight, et al., Pt.	114/81 20/82 22/82 22/82 13/85 uding A ron Devi	Japan Japan Japan Japan Japan uthor, Tit ces Meeti ices Socie own of Vo	Okabe, T., et al. Sanyo Tanaka, et al. Tanaka, et al. Saitou, M. Ie, Date, Pertinent and 1979- Washingt ety of IEEE, Pages oltage (>700V) in Tourth America, 19	on, D 238- hin S	0.C, De 241. Ol Dev EE, Pa	c. 3-4- ices," (English English English 5,"		
Loke Loke Loke Loke Loke	ė.	JP 56-3886 JP 57-109 JP 57-125 JP 57-125 JP 60-644 OTHER "Internati Sponsor "Realizat Merchan "Theory	67 04. 75 01. 57 01. 58 01. 71 04. ART (Inclinated by Election of High tt, et al., Photosomicon)	114/81 20/82 22/82 22/82 13/85 uding A ron Devitor Devin Breakd hillips Lai	Japan Japan Japan Japan Japan Japan uthor, Tit ces Meeti ices Socie own of Vo	Okabe, T., et al. Sanyo Tanaka, et al. Tanaka, et al. Saitou, M. Ie, Date, Pertinent ong 1979- Washingt ety of IEEE, Pages oltage (>700V) in Televices, T. Fution Devices, T. Fution Devices, T. Fution Devices, T. Fution Sanyo	on, D 238- hin S 91 IE	O.C, De 241. Ol Dev EE, Pa na, Jap	c. 3-4- ices," (ages 3	English English English 5,"		
Loke Loke Loke Loke Loke Loke	e e	JP 56-3886 JP 57-109 JP 57-125 JP 57-125 JP 60-644 OTHER "Internati Sponsor "Realizat Merchan "Theory	67 04. 75 01. 57 01. 58 01. 71 04. ART (Inclinated by Election of High tt, et al., Photosomicon)	114/81 20/82 22/82 22/82 13/85 uding A ron Devitor Devin Breakd hillips Lai	Japan Japan Japan Japan Japan Japan uthor, Tit ces Meetii ices Socie own of Vo	Okabe, T., et al. Sanyo Tanaka, et al. Tanaka, et al. Saitou, M. Ie, Date, Pertinent and 1979- Washingt ety of IEEE, Pages oltage (>700V) in Tourth America, 19	on, D 238- hin S 91 IE	O.C, De 241. Ol Dev EE, Pa na, Jap	c. 3-4- ices," (ages 3	English English English 5," S. Journal of		

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

O 1 P E MAY 0 6 2004

- Si						Page 2 of 3						
Form PTO	-1449 (Rodifi	3/		Atty [Docket No.:	Serial No.:						
					03692	03692.P054D2 10/647,925						
List of Pate	ents and Publ	icatior	is Stat	ement		Applicants:						
(Use sever	al sheets if ne	ecess	ary)		Disne	Disney, D.						
•			• •			Date:						
					Augus	st 26,2003						
REFEREN	CE DESIGNA	ATION		U.S. P	ATENT C	OCUMENTS						
Exam.	Date	Date Document Number		Name			Class	Sub- Class	Filing Date			
		114							Class			
No.	Document	No.		ate	Country	DOCUMENTS	Cla	ss	Sub-	Trans-		
<i>i A</i>	JP 3-2117	74 (00/4	7/04	1				Class	lation		
Loke	1.12 3-2117	/1 1	09/1	7/91	Japan	Toshiba				English		
		£77.	04/0	0/02		Vamaniahi atal						
Loke	JP 4-1078			9/92	Japan	Yamanishi, et al.						
		58	01/2	9/92 2/82 8/99		Yamanishi, et al. Tanaka, et al. Letavic, et al.						
Loke Loke	JP 4-1078 JP 57-125 WO 99/344 OTHER	58 449 \ ART	01/2 07/0 (Includ	2/82 8/99 ding A	Japan Japan PCT uthor, Tit	Tanaka, et al. Letavic, et al. le, Date, Pertinent				English		
Loke Loke	JP 4-1078 JP 57-125 WO 99/34 OTHER "Air-Gap Shieh, et	58 449 \ ART Form t al., If	01/2 07/0 (Includation (EEE E	2/82 8/99 ding Au During I	Japan Japan PCT uthor, Tit MD Depo Device Le	Tanaka, et al. Letavic, et al. le, Date, Pertinent esition to Lower Inte	rconi	nect Ca	apacita	English		
Loke Loke Loke	JP 4-1078 JP 57-125 WO 99/34 OTHER "Air-Gap Shieh, et "Oxide-B Voltage	ART Form t al., If	01/2 07/0 (Includation (EEE E sed VD Power	2/82 8/99 ding Au During I lectron DMOS (Device	Japan Japan PCT uthor, Tit MD Depo Device Le OBVDMO es," Yung	Tanaka, et al. Letavic, et al. le, Date, Pertinent esition to Lower Inte etters, Vol. 19, No. DS): An Alternative to C. Liang, et al., IEE	rconi 1, Ja	nect Canuary	apacita 1998. ction H	English nce," B.		
Loke Loke Loke	JP 4-1078 JP 57-125 WO 99/34 OTHER "Air-Gap Shieh, et "Oxide-B Voltage Vol. 22, "Compar et al., IE	Form t al., lt Bypass MOS No. 8, rison c	01/2 07/0 (Include ation [EEE E sed VE Power August If High	ding Au During I lectron DMOS (Device st 8, 20 -Voltag	Japan Japan PCT uthor, Tit MD Depo Device Le OBVDMO es," Yung 01, Pages te Devices s 258-26	Tanaka, et al. Letavic, et al. le, Date, Pertinent estition to Lower Inte etters, Vol. 19, No. OS): An Alternative to C. Liang, et al., IEEs 407-409. s for Power Integrat	rconi 1, Ja to Su E Ele	nect Conuary perjunectron	apacita 1998. ction H Device " R. Ja	igh- Letters, yaraman,		
Loke Loke Loke Loke	JP 4-1078 JP 57-125 WO 99/34 OTHER "Air-Gap Shieh, et" "Oxide-B Voltage Vol. 22, "Comparet al., IE"	Form t al., II sypass MOS No. 8, rison of DM 84 Gener	01/2 07/0 (Includation (EEE E sed VE Power August of High I, 1984 ation of	2/82 8/99 ding An During I lectron DMOS (Device st 8, 20 -Voltag 1, Page of High-	Japan Japan PCT uthor, Tit MD Depo Device Le OBVDMC es," Yung 01, Pages te Devices S 258-261 Voltage N	Tanaka, et al. Letavic, et al. le, Date, Pertinent esition to Lower Inte etters, Vol. 19, No. OS): An Alternative to C. Liang, et al., IEE s 407-409. s for Power Integrat 1. MOSFETs Breaks th	rconi 1, Ja to Su E Ele ted C	nect Conuary perjunectron ircuits,	apacita 1998. ction H Device " R. Jay	nce," B. igh- Letters, yaraman, con," G.		
Loke Loke Loke Loke	JP 4-1078 JP 57-125 WO 99/34 OTHER "Air-Gap Shieh, e" "Oxide-B Voltage Vol. 22, "Compar et al., IE" "A New G	Form t al., II sypass MOS No. 8, rison of DM 84 Gener	01/2 07/0 (Includation (EEE E Sed VE Power Augustof High I, 1984 ation of Sieme	2/82 8/99 ding An During I lectron DMOS (Device st 8, 20 -Voltag 1, Page of High-	Japan Japan PCT uthor, Tit MD Depo Device Le OBVDMO es," Yung 01, Pages te Devices s 258-261 Voltage M Munchen	Tanaka, et al. Letavic, et al. le, Date, Pertinent esition to Lower Inte etters, Vol. 19, No. OS): An Alternative to C. Liang, et al., IEEs 407-409. s for Power Integrat MOSFETs Breaks the Germany, IEDM 9 onsidered	rconi 1, Ja to Su E Ele ted C ne Lir 98-68	nect Conuary perjunectron ircuits,	apacita 1998. ction H Device " R. Jay	nce," B. igh- Letters, yaraman, con," G.		

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Page 3 of 3

			LAW B. L. AM				, age o or o				
Form PTC	D-1449 (Modif	ied)	Atty Docket N	Atty Docket No.:				Serial N .:			
			03692.P054D2		10/647,925						
List of Pat	tents and Publ	ications Sta	Applicants:	Applicants:							
(Use seve	eral sheets if n	ecessary)	Disney, D.	Disney, D.							
		,,	Filing Date:								
				August 26,2003							
REFEREN	NCE DESIGNA	ATION	U.S. PA	ATENT DOCUME	NTS						
Exam. Initial	Date	Document Number		Name		(Class	Sub- Class	Filing Date		
		-									
			1								
		FC	REIGN F	PATENT DOCUM	ENTS						
No.	Document	t No. D	ate	ate Country Name CI			ass Sub-		Trans-		
			-				_	Class	lation		
	OTHER	ART (Inclu	ıding Au	thor, Title, Date,	Pertinent I	Pages	s, etc	.)			
Loke	"High Pe	erformance	600 V Sn	nart Power Techno Phillips Electronics	ology Base	d on	Thin I	ayer S	Silicon-on-		
11				rice Physics," S. M							
Loke	Chapter	4, Pages 20	03-206.	a - netecciónico							
Loke	"Modelin H. Yilma	ıg Optimizat ız, R&D Enç	ion of La jineering	iteral High Voltage , GE Corp., NC, P	lC Device ages 290-2	s to N 297.	/linimi	ze 3-D	Effects,"		
Examine			•	Date Considere		, ,					
	Lok	e	6/29/04								
						-		***	-,-,		
EXAMINE	R: Initial if ref	erence con	sidered,	whether or not cita	ation is in c	onfori	manc	e with I	MPEP		

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.